

April Forecast Update for Atlantic Hurricane Activity in 2003

Issued: 11th April 2003

by Drs Mark Saunders and Adam Lea Benfield Hazard Research Centre, UCL (University College London), UK

Forecast Summary

TSR reduces its earlier forecasts and anticipates a 2003 Atlantic hurricane season with activity below the 10 year climate norm but above the 30 year norm.

The TSR (Tropical Storm Risk) early April forecast update for Atlantic hurricane activity in 2003 anticipates a slightly above average season. The forecast spans the period from 1st June to 30th November 2003 and employs data through to the end of March 2003. Our two predictors are the forecast July-September 2003 trade wind speed over the Caribbean and tropical North Atlantic, and the forecast August-September 2003 sea surface temperature in the tropical North Atlantic. At present we anticipate the Atlantic sea surface temperature anomaly to be near neutral and the trade wind anomaly to have a small enhancing effect on activity although forecast skill at this lead is small. Appendices give our predictions from previous months. This month, we introduce the percentage improvement in mean square error over a climatological forecast as our skill score, this being the WMO recommended skill score.

Atlantic ACE Index and System Numbers in 2003

| | | ACE Index | Intense Hurricanes | Hurricanes | Tropical Storms |
|-----------------------------|-----------|--------------|-----------------------|------------|--------------------|
| TSR Forecast (±FE) | 2003 | 128 (±85) | 2.4 (±1.8) | 6.1 (±2.4) | 11.1 (±2.9) |
| 10yr Climate Norm (±SD) | 1993-2002 | 153 (±94) | $3.0(\pm 1.9)$ | 6.9 (±2.9) | 12.1 (±3.6) |
| 30yr Climate Norm (±SD) | 1973-2002 | 100 (±72) | 2.1 (±1.4) | 5.7 (±2.4) | 9.8 (±3.4) |
| Forecast Skill at this Lead | 1988-2002 | 16% | 23% | 22% | 29% |

Key: ACE Index = $\underline{\underline{A}}$ ccumulated $\underline{\underline{C}}$ yclone $\underline{\underline{E}}$ nergy Index = Sum of the Squares of 6-hourly Maximum Sustained

Wind Speeds (in units of knots) for all Systems while they are at least Tropical Storm Strength.

ACE Unit = $x10^4$ knots².

Intense Hurricane = 1 Minute Sustained Wind > 95Kts = Hurricane Category 3 to 5. Hurricane = 1 Minute Sustained Wind > 63Kts = Hurricane Category 1 to 5.

Tropical Storm = 1 Minute Sustained Wind > 33Kts.

SD = Standard Deviation.

FE (Forecast Error) = Standard Deviation of Errors in Replicated Real Time Forecasts 1993-2002.

Forecast Skill = Percentage Improvement in Mean Square Error over Running 10-year Prior Climate Norm

from Replicated Real Time Forecasts 1988-2002.

ACE Index & Numbers Forming in the MDR, Caribbean Sea and Gulf of Mexico in 2003

| | | ACE Index | Intense Hurricanes | Hurricanes | Tropical Storms |
|-----------------------------|-----------|--------------|-----------------------|-----------------|--------------------|
| TSR Forecast (±FE) | 2003 | 108 (±78) | $2.4(\pm 1.8)$ | 4.4 (±2.4) | 7.8 (±3.0) |
| 10yr Climate Norm (±SD) | 1993-2002 | 134 (±88) | $3.0(\pm 1.9)$ | 5.2 (±2.9) | 8.8 (±3.6) |
| 30yr Climate Norm (±SD) | 1973-2002 | 78 (±71) | 1.9 (±1.5) | $3.8 (\pm 2.5)$ | 6.5 (±3.6) |
| Forecast Skill at this Lead | 1988-2002 | 19% | 23% | 26% | 28% |

1

The Atlantic hurricane <u>Main Development Region (MDR)</u> is the region 10°N - 20°N, 20°W - 60°W between the Cape Verde Islands and the Caribbean. A storm is defined as having formed within this region if it reached at least tropical depression status while in the area.

USA Landfalling ACE Index and Numbers in 2003

| | | ACE | | Tropical |
|-----------------------------|-----------|-----------------|-----------------|-----------------|
| | | Index | Hurricanes | Storms |
| TOD E | 2002 | 26(146) | 1 4 (.1 1) | 2.2 (.1.0) |
| TSR Forecast (±FE) | 2003 | $3.6 (\pm 4.6)$ | $1.4 (\pm 1.1)$ | $3.2 (\pm 1.9)$ |
| Average (±SD) | 1993-2002 | 4.5 (±4.7) | 1.2 (±1.2) | 3.8 (±2.1) |
| Average (±SD) | 1973-2002 | $2.6 (\pm 3.4)$ | 1.2 (±1.3) | 2.8 (±2.0) |
| Forecast Skill at this Lead | 1988-2002 | 11% | 19% | 19% |

Key: ACE Index = Accumulated Cyclone Energy Index = Sum of the Squares of hourly Maximum

Sustained Wind Speeds (in units of knots) for all Systems while they are at least Tropical Storm Strength and over the USA Mainland (reduced by a factor of 6).

ACE Unit = $x10^4$ knots².

Landfall Strike Category = Maximum 1 Minute Sustained Wind of Storm Coming Within 30km of Land.

USA Mainland = Brownsville (Texas) to Maine.

USA landfalling intense hurricanes are not forecast since we have no skill at any lead.

Caribbean Lesser Antilles Landfalling Numbers in 2003

| | | Intense | | Tropical |
|-----------------------------|-----------|-----------------|-----------------|-----------------|
| | | Hurricanes | Hurricanes | Storms |
| TSR Forecast (±FE) | 2003 | 0.3 (±0.4) | 0.6 (±0.7) | 1.4 (±1.0) |
| 10yr Climate Norm (±SD) | 1993-2002 | $0.3 (\pm 0.5)$ | $0.7 (\pm 0.8)$ | $1.5 (\pm 1.0)$ |
| 30yr Climate Norm (±SD) | 1973-2002 | $0.2 (\pm 0.4)$ | $0.4 (\pm 0.6)$ | $1.1 (\pm 1.0)$ |
| Forecast Skill at this Lead | 1988-2002 | 12% | 17% | 8% |

Key: Landfall Strike Category = Maximum 1 Minute Sustained Wind of Storm Coming Within 30km of Land.

Lesser Antilles = Island Arc from Anguilla to Trinidad Inclusive.

Key Predictors for 2003

The key factors behind our forecast for a slightly above-average hurricane season in 2003 are the anticipated small enhancing effect of July-September forecast 925mb U(east/west)-winds over the Caribbean Sea and tropical North Atlantic region (7.5°N - 17.5°N, 30°W - 100°W), and of neutral August-September forecast sea surface temperature for the Atlantic MDR (10°N - 20°N, 20°W - 60°W). The current forecast anomalies (1973-2002 climatology) for these predictors are 0.15±0.74 ms⁻¹ (down from 0.53±0.82 ms⁻¹) and 0.02±0.54 °C (down from 0.14±0.24 °C) respectively. The corresponding forecast skills for these predictors at this lead are 32% and 25%.

Further Information

Further information on the TSR forecast methodology, the TSR simulated real-time forecast skill 1987-2001 as a function of lead time, and on TSR in general, may be obtained from the 'Extended Range Forecast for Atlantic Hurricane Activity in 2002' document issued on the 23rd November 2001. Our next monthly forecast update for the 2003 Atlantic hurricane season will be issued on the 6th May 2003.

Appendix - Predictions from Previous Months

1. Atlantic ACE Index and System Numbers

| Atlantic ACE Index and System Numbers 2003 | | | | | | |
|--|-----------------|--------------|-----------------------------|------------|-----------------------|--|
| | | ACE Index | Named Tropical Storms | Hurricanes | Intense Hurricanes | |
| Average Number (±S | SD) (1993-2002) | 153 (±94) | 12.1 (±3.6) | 6.9 (±2.9) | 3.0 (±1.9) | |
| Average Number (±SD) (1973-2002) | | 100 (±72) | 9.8 (±3.4) | 5.7 (±2.4) | 2.1 (±1.4) | |
| | 11 Apr 2003 | 128 (±85) | 11.1 (±2.9) | 6.1 (±2.4) | 2.4 (±1.8) | |
| | 5 Mar 2003 | 166 (±87) | 12.7 (±3.5) | 7.1 (±2.7) | 2.9 (±1.9) | |
| TSR Forecasts (±FE) | 5 Feb 2003 | 180 (±90) | 13.3 (±3.3) | 7.6 (±2.7) | 3.1 (±1.8) | |
| | 7 Jan 2003 | 156 (±90) | 12.3 (±3.4) | 6.9 (±2.8) | 2.7 (±1.8) | |
| | 16 Dec 2002 | - | 12.4 (±3.5) | 7.0 (±2.8) | 2.8 (±1.8) | |
| Gray Forecast | 4 Apr 2002 | | 12 | 8 | 3 | |
| Gray 1 Orccast | 6 Dec 2002 | | 12 | 8 | 3 | |

2. MDR, Caribbean Sea and Gulf of Mexico ACE Index and Numbers

| MDR, Caribbean Sea and Gulf of Mexico ACE Index and Numbers 2003 | | | | | | |
|--|-----------------|--------------|-----------------------------|------------|-----------------------|--|
| | | ACE Index | Named Tropical Storms | Hurricanes | Intense Hurricanes | |
| Average Number (±S | SD) (1993-2002) | 134 (±88) | 8.8 (±3.6) | 5.2 (±2.9) | 3.0 (±1.9) | |
| Average Number (±SD) (1973-2002) | | 78 (±71) | 6.5 (±3.6) | 3.8 (±2.5) | 1.9 (±1.5) | |
| | 11 Apr 2003 | 108 (±78) | 7.8 (±3.0) | 4.4 (±2.4) | 2.4 (±1.8) | |
| | 5 Mar 2003 | 146 (±81) | 9.4 (±3.4) | 5.4 (±2.6) | 2.9 (±1.9) | |
| TSR Forecasts (±FE) | 5 Feb 2003 | 161 (±85) | 10.0 (±3.4) | 5.9 (±2.7) | 3.1 (±1.8) | |
| | 7 Jan 2003 | 136 (±85) | 9.0 (±3.5) | 5.2 (±2.7) | 2.7 (±1.8) | |
| | 16 Dec 2002 | - | 9.2 (±3.5) | 5.3 (±2.7) | 3.0 (±1.7) | |

3. US Landfalling ACE Index and Numbers

| US Landfalling ACE Index and Numbers 2003 | | | | | | |
|---|-----------------|--------------|-----------------------------|------------|--|--|
| | | ACE Index | Named Tropical Storms | Hurricanes | | |
| Average Number (±S | D) (1993-2002) | 4.5 (±4.6) | 3.8 (±2.1) | 1.2 (±1.2) | | |
| Average Number (±S | SD) (1973-2002) | 2.6 (±3.4) | 2.8 (±2.0) | 1.2 (±1.3) | | |
| | 11 Apr 2003 | 3.6 (±4.6) | 3.2 (±1.9) | 1.4 (±1.1) | | |
| | 5 Mar 2003 | 4.8 (±4.5) | 3.7 (±1.9) | 1.7 (±1.1) | | |
| TSR Forecasts (±FE) | 5 Feb 2003 | 5.2 (±4.6) | 3.9 (±1.9) | 1.8 (±1.1) | | |
| | 7 Jan 2003 | - | 3.6 (±1.9) | 1.6 (±1.1) | | |
| | 16 Dec 2002 | - | 3.6 (±1.9) | 1.7 (±1.1) | | |

4. Lesser Antilles Landfalling Numbers

| Lesser Antilles Landfalling Numbers 2003 | | | | | | |
|--|----------------|-----------------------------|------------|-----------------------|--|--|
| | | Named Tropical Storms | Hurricanes | Intense Hurricanes | | |
| Average Number (S | D) (1993-2002) | 1.6 (±0.8) | 0.7 (±0.8) | 0.3 (±0.5) | | |
| Average Number (S | D) (1973-2002) | 1.1 (±1.0) | 0.4 (±0.6) | 0.2 (±0.4) | | |
| | 11 Apr 2003 | 1.4 (±1.0) | 0.6 (±0.7) | 0.3 (±0.4) | | |
| | 5 Mar 2003 | 1.7 (±1.0) | 0.7 (±0.8) | 0.4 (±0.4) | | |
| TSR Forecasts (±FE) | 5 Feb 2003 | 1.8 (±1.0) | 0.8 (±0.8) | 0.4 (±0.4) | | |
| | 7 Jan 2003 | 1.6 (±1.0) | 0.7 (±0.8) | 0.4 (±0.4) | | |
| | 16 Dec 2002 | 1.7 (±0.8) | 0.7 (±0.7) | 0.4 (±0.4) | | |

