

February Forecast Update for Atlantic Hurricane Activity in 2003

Issued: 5th February 2003

by Drs Mark Saunders and Adam Lea Benfield Greig Hazard Research Centre, UCL (University College London), UK

Forecast Summary

TSR anticipates the 2003 Atlantic hurricane season will be slightly more active than forecast previously, with activity 10-20% above the 10 year climate norm and 40-50% above the 30 year norm.

The TSR (Tropical Storm Risk) early February forecast update for Atlantic hurricane activity in 2003 continues to anticipate an active season. The forecast spans the Atlantic season from 1st June to 30th November 2003 and employs data through to the end of January 2003. Our two predictors are the forecast July-September 2003 trade wind speed over the Caribbean and tropical north Atlantic and the forecast August-September 2003 sea surface temperature in the tropical north Atlantic. At present we anticipate both predictors having a slightly greater enhancing effect on activity than previously forecast, although forecast skill at this lead is small. This month we introduce forecast values of the NOAA accumulated cyclone energy (ACE) index - a measure of total wind energy - for US landfalling systems.

Atlantic ACE Index and System Numbers in 2003

| | | ACE Index | Intense Hurricanes | Hurricanes | Tropical Storms |
|-----------------------------|-----------|--------------|-----------------------|------------|--------------------|
| TSR Forecast (±FE) | 2003 | 180 (±90) | 3.1 (±1.8) | 7.6 (±2.7) | 13.3 (±3.3) |
| 10yr Climate Norm (±SD) | 1993-2002 | 153 (±94) | $3.0(\pm 1.9)$ | 6.9 (±2.9) | 12.1 (±3.6) |
| 30yr Climate Norm (±SD) | 1973-2002 | 100 (±72) | 2.1 (±1.4) | 5.7 (±2.4) | 9.8 (±3.4) |
| Forecast Skill at this Lead | 1988-2002 | 12% | 16% | 10% | 15% |

Key: ACE Index = $\underline{\underline{A}}$ ccumulated $\underline{\underline{C}}$ yclone $\underline{\underline{E}}$ nergy Index = Sum of the Squares of 6-hourly Maximum Sustained

Wind Speeds (in units of knots) for all Systems while they are at least Tropical Storm Strength.

ACE Unit = $x10^4$ knots².

Intense Hurricane = 1 Minute Sustained Wind > 95Kts = Hurricane Category 3 to 5 Hurricane = 1 Minute Sustained Wind > 63Kts = Hurricane Category 1 to 5

Tropical Storm = 1 Minute Sustained Wind > 33Kts

SD = Standard Deviation

FE (Forecast Error) = Standard Deviation of Errors in Replicated Real Time Forecasts 1993-2002

Forecast Skill = Percentage Improvement in Root Mean Square Error over Running 10-year Prior Climate

Norm from Replicated Real Time Forecasts 1988-2002

ACE Index & Numbers Forming in the MDR, Caribbean Sea and Gulf of Mexico in 2003

| | | ACE Index | Intense Hurricanes | Hurricanes | Tropical Storms |
|-----------------------------|-----------|--------------|-----------------------|-----------------|--------------------|
| TSR Forecast (±FE) | 2003 | 161 (±85) | 3.1(±1.8) | 5.9 (±2.7) | 10.0 (±3.4) |
| 10yr Climate Norm (±SD) | 1993-2002 | 134 (±88) | $3.0(\pm 1.9)$ | 5.2 (±2.9) | 8.8 (±3.6) |
| 30yr Climate Norm (±SD) | 1973-2002 | 78 (±71) | 1.9 (±1.5) | $3.8 (\pm 2.5)$ | 6.5 (±3.6) |
| Forecast Skill at this Lead | 1988-2002 | 12% | 17% | 12% | 11% |

1

The Atlantic hurricane Main Development Region (MDR) is the region 10°N - 20°N, 20°W - 60°W between the Cape Verde Islands and the Caribbean. A storm is defined as having formed within this region if it reached at least tropical depression status while in the area.

USA Landfalling ACE Index and Numbers in 2003

| | | ACE | | |
|-----------------------------|-----------|-----------------|-----------------|-----------------|
| | | Index | Hurricanes | Storms |
| TOD E | 2002 | 50(146) | 1.0 (+1.1) | 20(110) |
| TSR Forecast (±FE) | 2003 | 5.2 (±4.6) | $1.8 (\pm 1.1)$ | $3.9 (\pm 1.9)$ |
| Average (±SD) | 1993-2002 | 4.5 (±4.7) | 1.2 (±1.2) | 3.8 (±2.1) |
| Average (±SD) | 1973-2002 | $2.6 (\pm 3.4)$ | 1.2 (±1.3) | 2.8 (±2.0) |
| Forecast Skill at this Lead | 1988-2002 | 7% | 2% | 11% |

Sustained Wind Speeds (in units of knots) for all Systems while they are at least Tropical Storm Strength and over the USA Mainland (reduced by a factor of 6).

ACE Unit = $x10^4$ knots².

Landfall Strike Category = Maximum 1 Minute Sustained Wind of Storm Coming Within 30km of Land

USA Mainland = Brownsville (Texas) to Maine

USA landfalling intense hurricanes are not forecast since we have no skill at any lead.

Caribbean Lesser Antilles Landfalling Numbers in 2003

| | | Intense <u>Hurricanes</u> | Hurricanes | Tropical Storms |
|-----------------------------|-----------|------------------------------|-----------------|-----------------|
| TSR Forecast (±FE) | 2003 | 0.4 (±0.4) | $0.8 (\pm 0.8)$ | 1.8 (±1.0) |
| 10yr Climate Norm (±SD) | 1993-2002 | $0.3 (\pm 0.5)$ | $0.7 (\pm 0.8)$ | $1.5 (\pm 1.0)$ |
| 30yr Climate Norm (±SD) | 1973-2002 | $0.2 (\pm 0.4)$ | $0.4 (\pm 0.6)$ | $1.1 (\pm 1.0)$ |
| Forecast Skill at this Lead | 1988-2002 | 1% | 8% | 2% |

Key: Landfall Strike Category = Maximum 1 Minute Sustained Wind of Storm Coming Within 30km of Land

Lesser Antilles = Island Arc from Anguilla to Trinidad Inclusive

Key Predictors for 2003

The key factors behind our forecast for an above-average hurricane season in 2003 are the anticipated enhancing effects of July-September forecast 925mb U(east/west)-winds over the Caribbean Sea and tropical north Atlantic region (7.5°N - 17.5°N, 30°W - 100°W), and of August-September forecast sea surface temperature for the Atlantic MDR (10°N - 20°N, 20°W - 60°W). The current forecast anomalies (1973-2002 climatology) for these predictors are 0.67±0.79 ms⁻¹ (up from 0.42±0.81 ms⁻¹) and 0.19±0.25 °C (up from 0.14±0.25 °C) respectively. The corresponding forecast skills for these predictors at this lead are 17% and 14%.

Further Information

Further information on the TSR forecast methodology, the TSR simulated real-time forecast skill 1987-2001 as a function of lead time, and on TSR in general, may be obtained from the 'Extended Range Forecast for Atlantic Hurricane Activity in 2002' document issued on the 23rd November 2001. Our next monthly forecast update for the 2003 Atlantic hurricane season will be issued on the 6th March 2003.

Appendix - Predictions from Previous Months

1. Atlantic ACE Index and System Numbers

| Atlantic ACE Index and System Numbers 2003 | | | | | | |
|--|-------------|--------------|-----------------------------|------------|-----------------------|--|
| | | ACE Index | Named Tropical Storms | Hurricanes | Intense Hurricanes | |
| Average Number (±SD) (1993-2002) | | 153 (±94) | 12.1 (±3.6) | 6.9 (±2.9) | 3.0 (±1.9) | |
| Average Number (±SD) (1973-2002) | | 100 (±72) | 9.8 (±3.4) | 5.7 (±2.4) | 2.1 (±1.4) | |
| | 5 Feb 2003 | 180 (±90) | 13.3 (±3.3) | 7.6 (±2.7) | 3.1 (±1.8) | |
| TSR Forecasts (±FE) | 7 Jan 2003 | 156 (±90) | 12.3 (±3.4) | 6.9 (±2.8) | 2.7 (±1.8) | |
| | 16 Dec 2002 | - | 12.4 (±3.5) | 7.0 (±2.8) | 2.8 (±1.8) | |
| Gray Forecast | 6 Dec 2002 | | 12 | 8 | 3 | |

2. MDR, Caribbean Sea and Gulf of Mexico ACE Index and Numbers

| MDR, Caribbean Sea and Gulf of Mexico ACE Index and Numbers 2003 | | | | | | |
|--|-------------|--------------|-----------------------------|------------|-----------------------|--|
| | | ACE Index | Named Tropical Storms | Hurricanes | Intense Hurricanes | |
| Average Number (±SD) (1993-2002) | | 134 (±88) | 8.8 (±3.6) | 5.2 (±2.9) | 3.0 (±1.9) | |
| Average Number (±SD) (1973-2002) | | 78 (±71) | 6.5 (±3.6) | 3.8 (±2.5) | 1.9 (±1.5) | |
| | 5 Feb 2003 | 161 (±85) | 10.0 (±3.4) | 5.9 (±2.7) | 3.1 (±1.8) | |
| TSR Forecasts (±FE) | 7 Jan 2003 | 136 (±85) | 9.0 (±3.5) | 5.2 (±2.7) | 2.7 (±1.8) | |
| | 16 Dec 2002 | - | 9.2 (±3.5) | 5.3 (±2.7) | 3.0 (±1.7) | |

3. US Landfalling ACE Index and Numbers

| US Landfalling ACE Index and Numbers 2003 | | | | | | | |
|---|-------------|--------------|-----------------------------|------------|--|--|--|
| | | ACE Index | Named Tropical Storms | Hurricanes | | | |
| Average Number (±SD) (1993-2002) | | 4.5 (±4.6) | 3.8 (±2.1) | 1.2 (±1.2) | | | |
| Average Number (±SD) (1973-2002) | | 2.6 (±3.4) | 2.8 (±2.0) | 1.2 (±1.3) | | | |
| | 5 Feb 2003 | 5.2 (±4.6) | 3.9 (±1.9) | 1.8 (±1.1) | | | |
| TSR Forecasts (±FE) | 7 Jan 2003 | - | 3.6 (±1.9) | 1.6 (±1.1) | | | |
| | 16 Dec 2002 | - | 3.6 (±1.9) | 1.7 (±1.1) | | | |

4. Lesser Antilles Landfalling Numbers

| Lesser Antilles Landfalling Numbers 2003 | | | | | | | |
|--|-------------|-----------------------------|------------|-----------------------|--|--|--|
| | | Named Tropical Storms | Hurricanes | Intense Hurricanes | | | |
| Average Number (SD) (1993-2002) | | 1.6 (±0.8) | 0.7 (±0.8) | 0.3 (±0.5) | | | |
| Average Number (SD) (1973-2002) | | 1.1 (±1.0) | 0.4 (±0.6) | 0.2 (±0.4) | | | |
| | 5 Feb 2003 | 1.8 (±1.0) | 0.8 (±0.8) | 0.4 (±0.4) | | | |
| TSR Forecasts (±FE) | 7 Jan 2003 | 1.6 (±1.0) | 0.7 (±0.8) | 0.4 (±0.4) | | | |
| | 16 Dec 2002 | 1.7 (±0.8) | 0.7 (±0.7) | 0.4 (±0.4) | | | |

