

July Forecast Update for Atlantic Hurricane Activity in 2004

Issued: 5th July 2004

by Drs Mark Saunders and Adam Lea Benfield Hazard Research Centre, UCL (University College London), UK

Forecast Summary

TSR anticipates activity will be in the above-average tercile to 55% probability.

The TSR (Tropical Storm Risk) July forecast update for Atlantic hurricane activity in 2004 anticipates an above average season. Atlantic basin and US landfalling tropical cyclone activity are forecast to be ~120% of average in 2004. The forecast spans the period from 1st June to 30th November 2004 and employs data through to the end of June 2004. TSR's two predictors are the forecast July-September 2004 trade wind speed over the Caribbean and tropical North Atlantic, and the forecast August-September 2004 sea surface temperature in the tropical North Atlantic. The former influences cyclonic vorticity (the spinning up of storms) in the main hurricane track region, while the latter provides heat and moisture to power incipient storms in the main track region. At present TSR anticipates both predictors having a moderate enhancing effect on activity. A further updated forecast will be issued in early August 2004. Appendices give forecasts from prior months.

Atlantic ACE Index and System Numbers in 2004

		ACE Index	Intense Hurricanes	Hurricanes	Tropical Storms
TSR Forecast (±FE)	2004	114 (±35)	2.6(±1.4)	6.6 (±1.3)	12.3 (±2.4)
54yr Climate Norm (±SD)	1950-2003	95 (±54)	$2.5(\pm 1.9)$	$6.0 (\pm 2.3)$	9.9 (±3.3)
Forecast Skill at this Lead	1989-2003	57%	35%	67%	41%

Key: ACE Index = $\underline{\underline{A}}$ ccumulated $\underline{\underline{C}}$ yclone $\underline{\underline{E}}$ nergy Index = Sum of the Squares of 6-hourly Maximum Sustained

Wind Speeds (in units of knots) for all Systems while they are at least Tropical Storm Strength.

ACE Unit = $x10^4$ knots².

Intense Hurricane = 1 Minute Sustained Wind > 95Kts = Hurricane Category 3 to 5. Hurricane = 1 Minute Sustained Wind > 63Kts = Hurricane Category 1 to 5.

Tropical Storm = 1 Minute Sustained Wind > 33Kts.

SD = Standard Deviation.

FE (Forecast Error) = Standard Deviation of Errors in Replicated Real Time Forecasts 1989-2003.

Forecast Skill = Percentage Improvement in Mean Square Error over Running 10-year Prior Climate Norm

from Replicated Real Time Forecasts 1989-2003.

There is a 55% probability that the 2004 Atlantic hurricane season ACE index will be in the upper tercile historically, a 38% likelihood it will be in the middle tercile historically and only a 7% chance it will be in the lower tercile historically. The 54-year period 1950-2003 is used for climatology.

Key: Terciles = Data groupings of equal (33.3%) probability corresponding to the upper, middle and lower one-

third of values historically (1950-2003).

Upper Tercile = ACE index value greater than 108. Middle Tercile = ACE index value between 64 and 108.

Lower Tercile = ACE index value less than 64.

1

ACE Index & Numbers Forming in the MDR, Caribbean Sea and Gulf of Mexico in 2004

		ACE Index	Intense Hurricanes	Hurricanes	Tropical Storms
TSR Forecast (±FE)	2004	97 (±39)	$2.6(\pm 1.4)$	4.9 (±1.6)	8.7 (±2.3)
54yr Climate Norm (±SD)	1950-2003	73 (±55)	$2.2(\pm 1.8)$	4.1 (±2.4)	6.8 (±3.2)
Forecast Skill at this Lead	1989-2003	54%	40%	64%	60%

The Atlantic hurricane <u>Main Development Region (MDR)</u> is the region 10°N - 20°N, 20°W - 60°W between the Cape Verde Islands and the Caribbean Lesser Antilles. A storm is defined as having formed within this region if it reached at least tropical depression status while in the area.

There is a 67% probability that in 2004 the MDR, Caribbean Sea and Gulf of Mexico ACE index will be in the upper tercile historically (defined as an ACE index value >79), a 28% likelihood it will be in the middle tercile historically (defined as an ACE index value between 33 and 79) and only a 5% chance it will be in the lower tercile historically (defined as an ACE index value <33). The 54-year period 1950-2003 is used for climatology.

USA Landfalling ACE Index and Numbers in 2004

		ACE Index	Hurricanes	Tropical Storms	
TSR Forecast (±FE)	2004	2.6 (±1.3)	1.6 (±0.9)	3.6 (±1.7)	
Average (±SD)	1950-2003	$2.2 (\pm 2.0)$	$1.4 (\pm 1.2)$	3.0 (±1.9)	
Forecast Skill at this Lead	1989-2003	40%	35%	14%	

Key: ACE Index = \underline{A} ccumulated \underline{C} yclone \underline{E} nergy Index = Sum of the Squares of hourly Maximum

Sustained Wind Speeds (in units of knots) for all Systems while they are at least Tropical Storm Strength and over the USA Mainland (reduced by a factor of 6).

ACE Unit = $x10^4$ knots².

Landfall Strike Category = Maximum 1 Minute Sustained Wind of Storm Coming Within 30km of Land.

USA Mainland = Brownsville (Texas) to Maine.

USA landfalling intense hurricanes are not forecast since we have no skill at any lead.

There is a 57% probability that in 2004 the USA landfalling ACE index will be in the upper tercile historically (defined as a USA ACE index >2.40), a 34% likelihood it will be in the middle tercile historically (defined as a USA ACE index value between 0.90 and 2.40) and only an 8% chance it will be in the lower tercile historically (defined as a USA ACE index value <0.90). The 54-year period 1950-2003 is used for climatology.

Caribbean Lesser Antilles Landfalling Numbers in 2004

		ACE Index	Intense Hurricanes	Hurricanes	Tropical Storms
TSR Forecast (±FE)	2004	$2.0 (\pm 2.3)$	0.3 (±0.4)	$0.6 (\pm 0.6)$	1.5 (±1.0)
54yr Climate Norm (±SD)	1950-2003	1.4 (±2.1)	$0.2 (\pm 0.5)$	$0.4 (\pm 0.7)$	1.1 (±1.0)
Forecast Skill at this Lead	1989-2003	26%	36%	42%	25%

Key: ACE Index = \underline{A} ccumulated \underline{C} yclone \underline{E} nergy Index = Sum of the Squares of hourly Maximum

Sustained Wind Speeds (in units of knots) for all Systems while they are at least Tropical Storm Strength and within the boxed region (10°N-18°N,60°W-63°W)

(reduced by a factor of 6). ACE Unit = $x10^4$ knots².

Landfall Strike Category = Maximum 1 Minute Sustained Wind of Storm Coming Within 30km of Land.

Lesser Antilles = Island Arc from Anguilla to Trinidad Inclusive.

Key Predictors for 2004

The key factors behind the TSR forecast for an above-average hurricane season in 2004 are the anticipated moderate enhancing effect of July-September forecast trade winds at 925mb height over the Caribbean Sea and tropical North Atlantic region (7.5°N - 17.5°N, 30°W - 100°W), and of August-September forecast sea surface temperature for the Atlantic MDR (10°N - 20°N, 20°W - 60°W). The current forecast anomalies (1974-2003 climatology) for these predictors are 0.25±0.45 ms⁻¹ (up from last month's value of 0.16±0.45 ms⁻¹) and 0.18±0.16°C (up from last month's value of 0.02±0.20°C) respectively. The corresponding forecast skills for these predictors at this lead are 66% and 73%.

Further Information and Next Forecast

Further information on the TSR forecast methodology, the TSR replicated real-time hindcast skill as a function of lead time, and on TSR in general, may be obtained either from the TSR web site (http://tropicalstormrisk.com) or from the 'Extended Range Forecast for Atlantic Hurricane Activity in 2002' document issued on the 23rd November 2001. The final TSR monthly forecast update for the 2004 Atlantic hurricane season will be issued on the 5th August 2004.

Appendix - Predictions from Previous Months

1. Atlantic ACE Index and System Numbers

Atlantic ACE Index and System Numbers 2004						
		ACE Index	Named Tropical Storms	Hurricanes	Intense Hurricanes	
Average Number (±S	SD) (1950-2003)	95 (±54)	9.9 (±3.3)	6.0 (±2.3)	2.5 (±1.9)	
	5 Jul 2004	114 (±35)	12.3 (±2.4)	6.6 (±1.3)	2.6 (±1.4)	
	4 Jun 2004	101 (±34)	11.7 (±2.1)	6.1 (±1.5)	2.4 (±1.3)	
	11 May 2004	120 (±40)	12.6 (±2.6)	6.8 (±1.8)	2.7 (±1.3)	
TSR Forecasts (±FE)	6 Apr 2004	128 (±50)	13.1 (±3.2)	7.2 (±2.1)	2.9 (±1.5)	
	5 Mar 2004	122 (±53)	12.8 (±3.6)	7.0 (±2.4)	2.8 (±1.5)	
	5 Feb 2004	139 (±53)	13.7 (±3.5)	7.6 (±2.4)	3.1 (±1.5)	
	6 Jan 2004	132 (±59)	13.3 (±3.9)	7.2 (±2.6)	2.9 (±1.6)	
	5 Dec 2003	132 (±59)	13.0 (±4.0)	7.2 (±2.7)	2.9 (±1.6)	
	28 May 2004	-	14	8	3	
Gray Forecasts	2 Apr 2004	-	14	8	3	
	5 Dec 2003	-	13	7	3	
NOAA Forecast	17 May 2004	88-140	12-15	6-8	2-4	
Meteorological Insti- tute, Cuba Forecast	2 May 2004	-	13	7	-	

2. MDR, Caribbean Sea and Gulf of Mexico ACE Index and Numbers

MDR, Caribbean Sea and Gulf of Mexico ACE Index and Numbers 2004						
		ACE Index	Named Tropical Storms	Hurricanes	Intense Hurricanes	
Average Number (±S	SD) (1950-2003)	73 (±55)	6.8 (±3.1)	4.1 (±2.4)	2.2 (±1.8)	
	5 Jul 2004	97 (±39)	8.7 (±2.3)	4.9 (±1.6)	2.6 (±1.4)	
	4 Jun 2004	85 (±37)	8.1 (±2.5)	4.4 (±1.7)	2.4 (±1.3)	
	11 May 2004	103 (±42)	9.0 (±2.8)	5.1 (±2.0)	2.7 (±1.3)	
TSR Forecasts (±FE)	6 Apr 2004	112 (±53)	9.5 (±3.4)	5.5 (±2.4)	2.9 (±1.6)	
TSICT OFCCASES (EFE)	5 Mar 2004	106 (±57)	9.2 (±3.9)	5.3 (±2.6)	2.8 (±1.6)	
	5 Feb 2004	123 (±57)	10.1 (±3.8)	5.9 (±2.6)	3.1 (±1.6)	
	6 Jan 2004	115 (±62)	9.7 (±4.1)	5.5 (±2.8)	2.9 (±1.7)	
	5 Dec 2003	115 (±63)	9.5 (±4.2)	5.5 (±2.8)	2.9 (±1.7)	

3. US Landfalling Numbers

US Landfalling Numbers 2004						
		ACE Index	Named Tropical Storms	Hurricanes		
Average Number (±S	SD) (1950-2003)	2.2 (±2.0)	3.0 (±1.9)	1.4 (±1.2)		
TSR Forecasts (±FE)	5 Jul 2004	2.6 (±1.3)	3.6 (±1.7)	1.6 (±0.9)		
	4 Jun 2004	2.4 (±1.2)	3.4 (±1.7)	1.5 (±0.9)		
	11 May 2004	2.8 (±1.2)	3.8 (±1.7)	1.7 (±0.9)		
	6 Apr 2004	3.0 (±1.3)	3.9 (±1.7)	1.8 (±1.0)		
TSK Polecasts (±PE)	5 Mar 2004	2.9 (±1.3)	3.8 (±1.7)	1.7 (±1.0)		
	5 Feb 2004	3.3 (±1.3)	4.1 (±1.7)	1.9 (±0.9)		
	6 Jan 2004	3.1 (±1.4)	3.9 (±1.9)	1.7 (±1.1)		
	5 Dec 2003	3.1 (±1.4)	3.9 (±1.9)	1.7 (±1.1)		

4. Lesser Antilles Landfalling Numbers

Lesser Antilles Landfalling Numbers 2004							
		ACE Index	Named Tropical Storms	Hurricanes	Intense Hurricanes		
Average Number (S	D) (1950-2003)	1.4 (±2.1)	1.1 (±1.0)	0.4 (±0.7)	0.2 (±0.5)		
	5 Jul 2004	2.0 (±2.3)	1.5 (±1.0)	0.6 (±0.6)	0.3 (±0.4)		
	4 Jun 2004	1.7 (±2.3)	1.4 (±1.0)	0.6 (±0.6)	0.3 (±0.4)		
	11 May 2004	2.1 (±2.4)	1.6 (±1.0)	0.7 (±0.6)	0.3 (±0.4)		
TSR Forecasts (±FE)	6 Apr 2004	2.3 (±2.6)	1.6 (±1.1)	0.7 (±0.7)	0.4 (±0.4)		
TSIC TOTCCASES (ET L)	5 Mar 2004	2.1 (±2.7)	1.6 (±1.1)	0.7 (±0.7)	0.4 (±0.4)		
	5 Feb 2004	2.5 (±2.7)	1.7 (±1.1)	0.7 (±0.7)	0.4 (±0.4)		
	6 Jan 2004	2.3 (±2.7)	1.7 (±1.1)	0.7 (±0.7)	0.4 (±0.4)		
	5 Dec 2003	2.3 (±2.7)	1.7 (±1.1)	0.7 (±0.7)	0.4 (±0.4)		

