



# September Forecast Update for Australian-Region Tropical Storm Activity in 2002/3

Issued: 5th September 2002

by Paul Rockett, Mark Saunders and Frank Roberts  
Benfield Greig Hazard Research Centre, UCL (University College London), UK

## Forecast Summary

**Australian region (100°E to 170°E) tropical storm and severe tropical cyclone numbers in 2002/3 are expected to be 1.0 standard deviation below the 10-year climate norm**

The Tropical Storm Risk (TSR) consortium presents its first monthly update for Australian-region tropical storm and severe tropical cyclone numbers, and for Australian tropical storm strike numbers in 2002/3. The forecast spans the Australian season from December 2002 to the end of April 2003 and is based on data available through the end of August 2002. Our main predictor is the forecast anomaly in October-November Niño 4 sea surface temperature (SST) which we anticipate will be  $1.10 \pm 0.15^\circ\text{C}$  warmer than normal. We expect Australian basin cyclone activity to be about 1.0 standard deviation below average in 2002/3 and landfalling numbers to be about 0.4 of a standard deviation below normal. Further monthly forecast updates will follow through to early December 2002.

## Australian Region Total Numbers Forecast for 2002/3

		Severe Tropical Cyclones	Tropical Storms
TSR Forecast ( $\pm$ FE)	2002/3	3.6 ( $\pm$ 1.9)	7.3 ( $\pm$ 2.4)
10yr Climate Norm ( $\pm$ SD)	1992/3-2001/2	5.7 ( $\pm$ 2.1)	10.8 ( $\pm$ 2.8)
30yr Climate Norm ( $\pm$ SD)	1972/3-2001/2	6.0 ( $\pm$ 2.4)	11.3 ( $\pm$ 3.8)
Forecast Skill at this Lead	1987/8-2001/2	28	38

Key: Severe Tropical Cyclone = 1 Minute Sustained Wind > 63Kts = Hurricane Category 1 to 5  
 Tropical Storm = 1 Minute Sustained Wind > 33Kts  
 SD = Standard Deviation  
 FE (Forecast Error) = Standard Deviation of Errors in Replicated Real Time Forecasts 1992/3-2001/2  
 Forecast Skill = Percentage Improvement over Running 10-year Prior Climate Norm from Replicated Real Time Forecasts 1987/8-2001/2  
 Australian Region = Southern hemisphere 100°E to 170°E (Storm Must Form as a Tropical Cyclone Within to Count).

- Tropical storm and severe tropical cyclone numbers are expected to be 30-35% below average in 2002/03.
- It is 90-95% probable that Australian region tropical storm activity will be below average in 2002/3.
- Very severe tropical cyclones (hurricane category 3-5) are not forecast due to data reliability problems in the historical record.
- Our Australian region (100°E to 170°E), while slightly non-standard, is selected to provide the best overview for tropical cyclone activity around the whole of Australia.

## Australian Landfalling Numbers in 2002/3

		Tropical Storms
TSR Forecast ( $\pm$ FE)	2002/3	3.5 ( $\pm$ 2.3)
10yr Climate Norm ( $\pm$ SD)	1992/3-2001/2	4.4 ( $\pm$ 2.1)
30yr Climate Norm ( $\pm$ SD)	1972/3-2001/2	4.9 ( $\pm$ 2.3)
Forecast Skill at this Lead	1987/8-2001/2	5

Key: Landfalling Region = Northern Australian coast from Perth around to Brisbane.

- Severe tropical cyclone strikes are not forecast due to their low occurrence rate and to their lack of correlation with tropical storm strike numbers.

### Key Predictor for 2002/3

The key factor behind our forecast for below average Australian-region tropical storm activity in 2002/3 is the anticipated suppressing effect of warmer than average October-November Niño 4 (150°W-160°E, 5°S-5°N) SST. Warmer than normal waters in this region lead to increased atmospheric vertical wind shear over the Australian region during austral summer; a condition favouring below average tropical storm activity. Our forecast anomaly (1972/3-2001/2 climatology) for October-November Niño 4 SST is  $1.10 \pm 0.15^\circ\text{C}$  (up slightly from  $1.04 \pm 0.22^\circ\text{C}$  last month). The *Forecast Skill* for this predictor at this lead is 65% (assessed using replicated real-time forecasts over the last 15 years).

### Further Information

Further information on the TSR forecast methodology, the TSR simulated real-time forecast skill 1987/8-2001/2 as a function of lead time, and on TSR in general, may be obtained from the 'Long-Range Forecast for Australian-Region Tropical Storm Activity in 2002/3' document issued on the 9th August 2002. Our next monthly forecast update for the 2002/3 Australian-Region Tropical Storm season will be issued in early October. Further monthly updates will follow in early November and early December 2002.

## Appendix - Predictions from Previous Months

### 1. Australian Region Total Numbers

<b>Australian Region Total Numbers 2002/3</b>		
	Tropical Storms	Severe Tropical Cyclones
Average Number ( $\pm$ SD) (1992/3-2001/2)	10.8 ( $\pm$ 2.8)	5.7 ( $\pm$ 2.1)
Average Number ( $\pm$ SD) (1972/3-2001/2)	11.3 ( $\pm$ 3.8)	6.0 ( $\pm$ 2.4)
TSR Forecast ( $\pm$ FE)	5 Sep 2002	7.3 ( $\pm$ 2.4)
	9 Aug 2002	7.5 ( $\pm$ 2.7)

## 2. Australian Landfalling Numbers

<b>Australian Landfalling Numbers 2002/3</b>		
		Tropical Storms
Average Number ( $\pm$ SD) (1992/3-2001/2)		4.4 ( $\pm$ 2.1)
Average Number ( $\pm$ SD) (1972/3-2001/2)		4.9 ( $\pm$ 2.3)
TSR Forecast ( $\pm$ FE)	5 Sep 2002	3.5 ( $\pm$ 2.3)
	9 Aug 2002	3.5 ( $\pm$ 2.2)

